

Ch. 26 - BOARD PROBLEMS

EVALUATE.

$$\textcircled{1} \int_0^{\frac{\sqrt{\pi}}{2}} x \cdot \sin(x^2) dx$$

$$\textcircled{2} \int_0^{\ln(2)} \frac{e^x dx}{2e^x - 1}$$


$$\textcircled{3} \int_2^3 \frac{x^2 dx}{x^3 - 3}$$

$$\textcircled{4} \int_0^{\frac{\pi}{4}} \sec(\theta) \cdot \tan(\theta) d\theta$$

Ch. 26 - AREA BETWEEN TWO CURVES

EX. 1


FIND THE AREA BOUNDED BY $y = x$, $y = -3x + 12$ AND $y = 0$.



EX. 2


FIND THE AREA BOUNDED BY $y = \sqrt{x}$,

$3y = -x + 4$ and $y = 0$.



EX. 3

FIND THE AREA BETWEEN $y = x^2 - 4$ AND $y = 4 - x^2$



IF TWO FUNCTIONS f and g are continuous on $[a, b]$ and $f(x) \geq g(x)$ on ALL POINTS ON $[a, b]$ then the area between the curve f and g on $[a, b]$ is:


$$\text{AREA} = \int_A^B [f(x) - g(x)] dx$$

EX. 4

FIND THE AREA BETWEEN $y=x$, $y=1$, $y=0$
AND $y = \frac{x^2}{4}$

EX. 5


FIND THE AREA BOUNDED BY $y=|x|$, $x=-2$, $x=1$



EX. 6


FIND THE AREA BOUNDED BY THE REGION

$$x = y^2 \quad \text{AND} \quad y = x - 2$$



EX. 7


SOLVE BY LOOKING AT Y-BOUNDARIES.



In summary, here are two ways to evaluate the difference between two curves.

Case 1

We have two curves: $y = f(x)$ and $y = g(x)$ on $[a, b]$.




$$\int_a^b [\text{top function} - \text{bottom function}] dx$$

$$\int_a^b [f(x) - g(x)] dx$$

Case 2

We have two curves: $x = f(y)$ and $x = g(y)$ on $[c, d]$.



$$A = \int_c^d [\text{right function} - \text{left function}] dy$$

$$A = \int_c^d [f(y) - g(y)] dy$$

LESSON PRACTICE

26A

Include a sketch for all problems.

1. Find the area bounded by $y = |x - 1|$, $x = -2$, $x = 3$, and $y = 0$. Check your work with geometry.

2. Find the area bounded by $y = \frac{8}{x}$, $y = 1$, $y = 4$, and $x = 0$.

3. Find the area bounded by $y = x^2 + x + 1$ and $y = 4 - x^2$.

LESSON PRACTICE 26A

4. Find the area bounded by $y = x^2 - 1$ and $y = 1 - x^2$.

5. Find the area bounded by $y = x - 6$ and $x = y^2$.